














TERRANA 01/ECO

Terrana 01/ECO vinyl sheet floorings are suitable for covering any average traffic area in apartments and homes. These practical and hygienic floorings are highly recommended for families with small children and elderly people. Everyone can choose the best design for himself from the wide range of patterns and colours.





Technical parameters	Units	Standards	
 Thickness	mm	EN ISO 24346	2,60
 Wear layer	mm	EN ISO 24340	0,15
 Dimensional stability	%	EN ISO 23999	±0,20
 Classification	class	EN ISO 10874	21
 Width of rolls	m	EN ISO 24341	2/2,5/3/4
 Length of rolls	lm	EN ISO 24341	18-27
 Total weight	kg/m ²	EN ISO 23997	1,40
 Residual indentation	max. mm	EN ISO 24343	0,35
 Fire resistance		EN 13501-1	Cfl-s1
 Impact sound reduction	DLw (dB)	EN ISO 717-2	16
 Light fastness	grade	EN 20105-B02	6
 Slip resistance	class	EN 13893	DS
 Warranty	year		5

**SOLVENT
FREE**

**NOI
WAXI**





4319-268

| 2m | 4m |




4319-257

| 2m | 4m |




4327-251

| 2m | 2,5m | 4m |



4245-273

| 2m | 4m |




4245-274

| 2m | 4m |



4245-276

| 2m | 4m |



4245-271

| 2m | 4m |

